

INDEX MAPS.

T.13N R.6W 2nd Mer.

	249	249-247	247	247-248	246-248	246-248						
250	6	275	5	268	4	264	3	259	2	255	1	246
	274		274		268		263		259		255	
250	7	283	8	267	9	263	10	259	11	254	12	246
	273		273		267		263		258		253	
250	18	272	17	266	16	262	15	258	14	253	13	245
	270		271		266		262		257		253	
250	19	271	20	266	21	262	22	257	23	252	24	245
	270		270		265		261		256		252	
249	30	270	29	265	28	261	27	256	26	252	25	244
	269		269		264		260		256		251	
249	31	269	32	264	33	260	34	255	35	251	36	244
	244		244		243		243		243		243	

T.14N R.6W 2nd Mer.

	282-283	282-283	282-283	282-283	281-282	281-282	281-282	281-282	281-282	281-282	281-282	281-282
286	6	308	5	302	4	298	3	294	2	290	1	281
	307		307		301		298		294		289	
286	7	307	8	301	9	297	10	293	11	289	12	281
	306		306		301		297		293		289	
285	18	306	17	300	16	296	15	292	14	288	13	280
	305		305		300		296		292		288	
285	19	305	20	300	21	296	22	292	23	288	24	280
	304		304		299		295		291		287	
285	30	304	29	299	28	295	27	291	26	287	25	280
	303		303		299		295		291		287	
284	31	302	32	298	33	294	34	290	35	286	36	280
	279		279		277-278		277-278		277-278		277-278	

The figures on the lines refer to the page.

277

Township No. 14 North of Range No. 6 West of the 2nd Mer. Ind.
Ch. Lr.

South Boundary. June 19. 1819.

West On a Ranam line On the South Boundary of la. 36.
T. 14. N. R. 6 W.

37.50 To a Brook 10 Mts wide, corner S.

40.00 Set a trip^l post $\frac{1}{4}$ S. E. post.

80.00 Set a trip^l post for the cor of la. 35 & 36.

Land rolling on the 2nd rate; middling good farming
Land, Timber Sugar, Hick^l, Oak,

West On a Ranam line On the South Boundary of la. 35.
T. 14. N. R. 6 W.

0.50 To a Brook 12 Mts wide corner S.

40.00 Set a trip^l post $\frac{1}{4}$ S. E. post.

56.50 To a Brook 15 Mts wide, corner S.

80.00 Set a trip^l post for the cor of la. 34 & 35.

Land rolling Timber same. Middling good farming
Land.

West On a Ranam line On the South Boundary of la. 34.

40.00 Set a trip^l post $\frac{1}{4}$ S. E. post.

80.00 Set a trip^l post for the cor of la. 33 & 34.

Land well under middling good for farming; Timber Oak,
Buck. Hick^l & Poplar.

West On a Ranam line On the South Boundary of la. 33.

15.00 To a Brook 8 Mts wide, corner S. W.

40.00 Set a trip^l post $\frac{1}{4}$ S. E. post.

60.00 To a Brook 12 Mts wide, corner S. W.

77.00 " " " " " " " " S. W.

80.00 Set a trip^l post for the cor of la. 32 & 33.

Land rolling under good for farming; Timber same.
2nd rate land.

West On a Ranam line On the South Boundary of la. 32.
T. 14 N. R. No. 6 W.

35.00 To a Brook 15 Mts wide, corner S. W.

T. N. 14. N. R. N. 6 W. 2nd Mer. Ind.

35.00	To a Brook. 15 links mch. Commence N. W.
40.00	Left a tree 27 1/2 in sap post.
48.27	Enter 2nd to Indian Boundary and fell 603 lbs mch of the post cor of lat. 32 on the Boundary line. Sands good for farming V. 6° 30'
East	On a tree ^{line} On the South Boundary of ea. 32. T. 14. N. R. 6 W. V. 6° 30'
8.27	Set a 1/2 in sap post temp. 17 on the tree line from which, Beck. 30 in air. time N 76 E. 25 links mch. & a Log wood 5 " " N 15 W 3 "
48.27	Set the temp. 17 post on the tree line for the cor of ea. 32 & 33 from which, W Beck. 8 in air. time. S 66 W. 5 the mch and a Sugar. 18 " " N 40 E. 32 " "
East	On a tree line On the South Boundary of ea. 33. T. 14. N. R. 6 W.
40.00	Set the temp. 17 in sap post (from which) on tree line Sugar. 18 in air. time S 46 W. 27 the mch. & a Lo. 15 " " North 41 " "
80.00	Set the temp. 17 post on the tree line for the cor of ea. 33 & 34 from which Beck. 18 in air. time. N 57 W. 24 the mch and a Sugar. 18 " " S 57 E 42 " "
East	On a tree ^{line} On the South Boundary of ea. 34.
40.00	Set the temp. 17 in sap post on the tree line from which, Sugar. 10 in air. time. S 44 W. 22 the mch. & a W Oak. 18 " " N 89 E. 7 "
80.00	Set the temp. 17 post on the tree line for the cor of ea. 34 & 35 from which, Sugar. 14 in air. time. S 77 W. 25 the mch and a Beck. 24 " " N 32 E. 43 " "
East	On a tree line On the South Boundary of ea. 35. T. 14. N. R. 6 W.
40.00	Set the temp. 17 in sap post on the tree line from which, Beck. 18 in air. time. N 29 W 24 the mch. & a

T. N. 14. S. R. N. 6 W 2nd Mer. Ind:

Depth 30 in diam. trees. S 36 N. 18 the north;
 80.00 Set the temp. 7th a post on the true line for cor of sec 36
 from which a N Walnut. 10 in diam. trees. S 22 N. 28 the north; &
 and a Beech. 15 " " N 53 N. 27. "

East On the true line On the South Branch of sec. 36.
 T. 14. S. R. 6 W.

40.00 Set a temp. 7th a post on the true line from which,
 N Oak. 12 in diam. trees. N 82 W 9 the north; & a,
 Beech. 14 " " S 48 E. 7. "

80.00 Set a post for the cor of S. 13 & 14. N. 54 E. W. 200 the
 North of the temp. 7th post. from which,
 N Oak. 40 in diam. trees. N 79 E. 28 the north; & a,
 N Oak. 5 " " S 11 E. 23. "

Surveyed by
 William Harris Ld.

East On the South Branch of sec. 31. T. 14. S. R. 6 W.

40.00 Set a 7th a post from which a
 Beech. 14 in diam. trees. N 87 W. 11 the north; & a,
 Do. 10 " " S 25 E. 3. "

70.00 To a Brook 8 the mile, hence N

80.00 Set a post for the cor of sec 31 & 32 from which,
 Beech. 5 in diam. trees. N 34 W. 11 the north; & a,
 Do. 8 " " S 67 E. 8. "

East On the South Branch of sec. 32. T. 14. S. R. 6 W

6.00 To a Brook 8 the mile, hence N.

25.31 Inter cut the old Indian Branch of set a post for cor of
 Sec. 32. from which a

Beech. 4 in diam. trees. S 50 W. 25 the north; & a,
 Do. 20 " " N 77 W. 2. "

Surveyed by
 Alex. an. Holmes Ld.

East Boundary

T. N^o 14. N. R. N^o 6. W. D. M. Ind. a.

North	On the East Boundary of sec. 36. T. 14. N. 6. W. 30
40.00	Set a post from which, Heck 17 1/2 in diam. hem. 849 E. 14 lbs arch; 7a, Do. 9 " " " N 72 W 8 " " 80.00 Set a post for the cor of sec. 25 & 36. From which, Heck. 18 in diam. hem. 818 E. 16 lbs arch; 7a, W. Oak. 4 " " " N 72 W 20 " " Land here under 2 nd rate; part rather mt., middling good farming land. Timber Buck, Hickory, Oak, Ash.
North	On the East Boundary of sec. 25 T. 14. N. R. N ^o 6. W.
40.00	Set a post from which Sugar. 8 in diam. hem. 867 E. 16 lbs arch; 7a, Buck. 27 " " " N 15 W 22 " " 73.50 To a Brook 10 lbs mid., corner S. W.
80.00	Set a post for the cor of sec. 24. & 25 from which, Sugar. 14 in diam. hem. 869 E. 22 lbs arch; 7a, Do. 6 " " " 851 W 28 " "
North	On the East Boundary of sec. 24. T. 14. N. 6. W.
40.00	Set a post from which on June. 19 18 19 Elm. 15 in diam. hem. N 50 E. 29 lbs arch; 7a, Hickory 12 " " " 843 W 40 " " 80.00 Set a post for the cor of sec. 13 & 24 from which, Buck. 9 in diam. hem. 880 W 18 lbs arch; 7a, Sugar. 9 " " " N 32 E 22 " " Land here under 2 nd rate; part good for farming Timber same.
North	On the East Boundary of sec. 13. T. 14. N. 6. W.
36.00	To a Brook. 15 lbs mid., corner S. E.
40.00	Set a post from which, Sugar. 8 in diam. hem. N 68 E. 23 lbs arch; 7a, W. Oak. 18 " " " 847 W 24 " " 80.00 Set a post for the cor of sec. 12 & 13. From which,

281

T. N. 14. N. R. N. 6 W 2nd (Mm. Ind.)

Beck. 24 in dist. trees. S 1 E. 16 lbs. nuts; Va.
 Sugar. 14 " " " N 82 W. 14 " "
 Land as similar and m. adding good for farming

North On the East Boundary of Sec. 12 T. 14. N. R. 6 W
 4.00 To a Brook 3 miles wide, corner W
 40.00 Set a temporary support from which
 Beck. 9 in dist. trees S 72 E 31 lbs. nuts; Va.
 Hickory 12 " " " S 78 W 25 " "
 47.00 To a Brook 5 miles wide corner E.
 80.00 Set a post for the cor. of Sec. 14 & 12 from which
 B. Ash 8 in dist. trees. S 50 E. 2 lbs. nuts; Va.
 Do. 6 " " " S 89 W. 14 " "
 Land level and past mts; Timber same.

North On the East Boundary of Sec. 14. T. 14. N. R. 6 W
 40.00 Set a temporary support from which
 Beck. 12 in dist. trees. N 58 E 14 lbs. nuts; Va.
 Do. 14 " " " S 24 W 30 " "
 57.00 To a Brook 10 miles wide, corner W.
 80.00 Set a temporary support for the cor. of Sec. 14 & 13 N. R. 5 & 6 W
 Land as the same as last mile.

North Boundary

West On a Random line On the South Boundary of Sec. 36.
 T. 15 N. R. 6 W
 40.00 Set a temporary support
 80.00 Set a temporary post for the cor. of Sec. 35 & 36.
 Land level and 2nd rate East for mts and m. adding
 good for farming.

West On a Random line On the South Boundary of Sec. 35
 T. 15 N. R. 6 W
 26.00 To a Brook 30 miles wide, corner E.
 40.00 Set a temporary support
 80.00 Set a temporary post for the cor. of Sec. 34 & 35.

T. N^o 14. N. R. N^o 6 W 2nd (Mm. Iowa.

Land part broken mid part level 2nd rate soil; Timber
Buck, Hutto, Oak & Elm.

West	On a Random line On the South Boundary of sec. 34. T. 15 N. R. 6 W.
12.00	To a Point 8 miles mid. Course S.
40.00	Set a trap. 7 1/4 in support
55.00	To a Spring Branch Course S W
65.00	" " Point 8 miles mid. Course N. W.
80.00	Set a trap. 7 feet for the cor. of sec. 33 & 34. Land part broken & part level 2 nd rate; not very good for farming

West	On a Random line On the South Boundary of sec. 33. T. 15 N. R. 6 W. July 2 nd 1819
11.00	To a Spring branch 6 miles mid. Course N. W.
16.00	" " Do. Do. 3, " " " N
40.00	Set a trap. 7 1/4 in support
80.00	Set a trap. 7 1/4 in support for the cor. of sec. 32 & 33 Land same as last mile.

West	On a Random line On the South Boundary of sec. 32
15.00	To a Point 15 miles mid. Course S
40.00	Set a trap. 7 1/4 in support
70.00	To a Point 2 miles mid. Course S.
80.00	Set a trap. 7 feet for the cor. of sec. 31 & 32 Most of this mile is level bottom which is well improved

West	On a Random line On the South Boundary of sec. 31. T. 15 N. R. 6 W.
39.00	To a Point 5 miles mid. Course S W
40.00	Set a trap. 7 1/4 in support
74.33	In the east the Range line. 134 miles South of the trap. 7 feet for the cor. of T ^s 14 & 15 N. R ^s 6 & 7 W. Land rather broken & 2 nd rate.

J. N^o 14. N. R. N^o 67 2nd Mer. Ind.

283

East On the line between South Branch of R. 31.
J. 15 N. R. 67
34.33 Set the trap 7th report from which
Beck. 10 in air. from West 19 links ash; & a
W Walnut 8 " " S 30 E. 26 " "
74.33 Set apart for the cor of sec. 31 & 32 on the true line from
which Beck. 9 in air. from N 62 W. 16 links ash; & a
Do. 11 " " S 37 E. 20 " "

East On the line between South Branch of R. 32.
J. 15 N. R. 67
40.00 Set a 7th report trap on the true line from which
W Walnut. 4 in air. from N 34 W 3 links ash; & a
Beck. 12 " " N 78 E. 26 " "
63.00 To a point 150 links mid, leaves S.
80.00 Set the trap 7th report on the true line for the cor of sec. 32 & 33
from which Cycas. 48 in air. from S 75 E. 17 links ash
made a Hackberry 10 " " S 68 W. 27 " "

East On the line between South Branch of R. 33.
J. 15 N. R. 67
40.00 Set the trap 7th report at the true line from which
Hack 8 in air. from S 79 W. 8 links ash; & a
W Oak. 27 " " N 85 E. 22 " "
51.00 To a Spring branch. 4 links mid, leaves N.
62.00 " " Do. Do. 5 " " N
80.00 Set the trap 7th report on the true line for the cor of sec. 33 & 34
from which W Oak. 9 in air. from N 84 E. 4 links ash
made a W Oak. 36 " " S 4 W. 22 " "

East On the line between South Branch of R. 34.
J. 15 N. R. N^o 67 July 7. 1819
40.00 Set a trap 7th report on the true line from which
Beck. 12 in air. from South 16 links ash; & a
Sugar. 13 " " N 7 E. 53 " "
76.00 To a Brook. 8 links mid, leaves S.

80.00 Set the temp^l post on the true line for the cor of Ea. 34 & 35
from which a Poplar 10 in dia^r beam. S 53 W. 27 the dist,
made a Ironwood 5. " " N 59 E. 2. " "

East On the true line On the South Boundary of Ea. 35.
T. 15 N. R. 6 W.

40.00 Set the temp^l post on the true line from which
Poplar 18 in dia^r beam. East 16 links north; Ea.
Elev. 4 " " which stands for cor.

56.00 To locate 20 links wide, corner S.

80.00 Set the temp^l post on the true line for the cor of Ea. 35 & 36
from which a Bech. 18 in dia^r beam. S 22 W. 18 the dist,
made a Do. 6. " " N 21 W. 9. " "

East On the true line between Ea. 1 & 36. On the South B^y of
Ea. 36. T. 15 N. R. 6 W.

40.00 Set a temp^l post at the true line from which
Bech. 30 in dia^r beam. S 54 W. 22 links north; Ea.
Bech. 24 " " N 23 E. 5 " "

80.00 Set a post for the cor of T. 14 & 15 N. R. 5 & 6 W. 17
links South of the Temp^l Township cor from which
Bech. 12 in dia^r beam. S 59 E. 4 links north; Ea.
Bech. 36 " " N 50 W. 5 " "

West Boundary

North On the East Boundary of Ea. 36. T. 14 N. R. 7 W.

40.00 Set a post from which
Bech. 11 in dia^r beam. N 63 E. 20 links north; Ea.
Oak 14. " " S 63 W. 7 " "

54.00 To a Brook 10 links wide, corner S. W.

77.34 Enter at the Indian Boundary line and set a post for
the cor of Ea. 36. from which
Sugar. 13 in dia^r beam. S 60 W. 5 links north; Ea.
Do 5 " " N 60 E. 10 " "

May 9th 1811.

Surveyed by
Alexander Reelmedd.

T. N. 14. N. R. N. 6. 7. 2nd. Mm. Ind.

Arth	On the East Branch of ea. 36. T. 14. N. R. 7. 7. by Harris. 19.
2.66.	Set apart for the ea of ea. 25 & 36 from which a Beck. 9 in. dia. beams. 964 7. 7. links each; & a, Sugar. 12 " " " 117 E. 12 " "
Arth	On the East Branch of ea. 25. T. 14. N. R. 7. 7.
5.00	To allocate 30 links mid, comes 7.
10.00	To a Brook 3 " " " 7.
40.00	Set a 7/11 apart from which Sugar. 9 in. dia. beams. 974 E. 7 links each; & a, Beck. 10 " " " 127 7. 11 " "
21.00	To a Brook 4 links mid, comes 7.
80.00	Set apart for the ea of ea. 24 & 25 from which, Sugar. 12 in. dia. beams. 937 E. 18 links each; & a, Beck. 8 " " " 11 E. 17 " " Lands broken and sold 2nd rate; Timber B. Oak, Sugar, Poplar, & Hickory.
Arth	On the East Branch of ea. 24. T. 14. N. R. 7. 7.
9.00	To a Brook 10 links mid, comes 7.
40.00	Set a 7/11 apart from which, Oak. 12 in. dia. beams. 99 E. 33 links each; & a, Beck. 9 " " " 17 E. 18 " "
80.00	Set apart for the ea of ea. 13 & 24 from which, Beck. 9 in. dia. beams. 116 7. 25 links each; & a, Oak 5 " " " 14 E. 25 " " Lands put rolling and broken 2nd rate; muddling for defarming land, Timber Same.
Arth	On the East Branch of ea. 13. T. 14. N. R. 7. 7.
21.00	To a spring comes 7.
40.00	Set a 7/11 apart from which, Sugar. 10 in. dia. beams. 960 7. 9 links each; & a, Oak. 12 " " " 152 E. 7 " "
58.00	To allocate 150 links mid, comes 7.
80.00	Set apart for the ea of ea. 12 & 13 from which,

20
7
ga
nd.

T. N^o 14. N. R. N^o 6 W. 2^d M. S. d.

Sugar. 9 in diam. beam. S 77 W. 22 hnts mch; & a,
 Muskhorn 8 " " N 53 E. 22 " "
 Sand. South 3/4 similar to last mch; North 1/4 coarse
 bottom, very rich.

North On the East Branch of ea. 12. T. 14. N. R. 7 W.
 40.00 Set a 1/2 capst from which
 Sugar. 12 in diam. beam. N 57 W. 10 hnts mch; & a,
 Do. 9 " " N 75 E. 13 " "
 80.00 Set a post for the ea of ea. 14 12 from which,
 Beak. 8 in diam. beam. S 67 W. 18 hnts mch; & a,
 W Oak. 24 " " N 33 E. 19 " "
 Sand. South 3/4 N. rate bottom. North 1/4 broken.

North On the East Branch of ea. 1. T. 14. N. R. 7 W.
 35.00 To a Bort. 8 hnts mch, beam. S W.
 40.00 Set a 1/2 capst from which
 Elm 8 in diam. beam. S 39 E. — No mch; & a,
 Sugar 12 " " S 85 E. 34 " "
 84.92 To ea of T^s 14. & 15. N R^s 6 & 7 W.
 Surveyed by
 William Harris Ld.

Subdivisions

North Between Secs 35 & 36. T. 14. N. R. 6 W.
 1.00 To a Bort. — hnts mch, beam S.
 10.50 " " Do. " " " " "
 40.00 Set a 1/2 capst from which
 Beak. 18 in diam. beam. N 77 E. 27 hnts mch; & a,
 Hewitt 36 " " S 77 W. 39 " "
 53.80 To a W Oak. 40 in diam in the mch.
 80.00 Set a post for the ea of ea. 25, 26. 35 & 36 from which
 Beak. 10 in diam. beam S 74 E. 10 hnts mch; & a,
 W Oak. 24 " " S 30 W. 46 " "
 Land. well under good for farming; Timber Beak Sugar
 & Poplar. 118 Spruce, Spruce. Oct. 2^d 1819.

T. N. 14. N. R. N. 6 T. 2nd M. Ind.

- East
#80.34 Ona Karam line between Sec. 25 & 26. T. 14. N. R. 6 T.
Intro lat to East Branch 39 miles North of the post on
of sec. 25 & 26.
Land work under goods for farming Timber Buck. Poplar,
W Oak & s. under the Spruce.
- #40.00 Let a trap 1/2 in support
- West
40.17 On the same line between Sec. 25 & 26. T. 14. N. R. 6 T.
Let the trap 1/2 in support at the ar are ditch in the same line
from which a Buck. 12 in diam. bears. S 6 E 16 miles north
and a Lo. 12, " " N 24 E 15 " "
- 80.34 To the post on off Sec. 25, 26, 35 & 36.

- North
14.60 Between Sec. 25 & 26. T. 14. N. R. 6 T.
Is at Buck. 15 in diam. in the line.
- 18.65 " " Broke 20 miles wide, across S. W.
- 40.00 Let a 1/2 support from which
Maple. 4 in diam. bears N 39 W. 14 miles north; & a,
W. 1000 to 3, " " S 15 E 14 " "
- 45.00 To a Brook 40 miles wide, across W
- 61.03 To a W Oak 18 in diam. in the line.
- 80.00 Let a post for the ar off Sec. 23, 24, 25 & 26. From which
Buck 3 in diam. bears N 76 E 7 miles north; & a,
Buck. 20, " " S 23 W 30, " "
Land with much corn under the timber Buck,
Sugar, W Oak, & s. under the Dogwood. &c.

- East
33.00 On a Karam line between Sec. 24 & 25. T. 14. N. R. 6 T.
To a Brook 10 miles wide, across S. W.
- 40.00 Let a trap 1/2 in support.
- 80.30 Intro lat to East Branch at the post on off Sec. 24 & 25
Land work under goods for farming: Timber Poplar, Oak
and Buck. W Oak. 118. Dogwood.

- West
40.15 On the same line between Sec. 24 & 25. T. 14. N. R. 6 T.
Let the trap 1/2 in support at the ar ditch on the same line. From
which, Buck. 12 in diam. bears. N 68 E 19 miles north;

S. N^o 14. S. R. N^o 6712nd M. Ind^a.

made a Sum 18 in dia: trees. N 65 W 37 links each
8030 To the post on of sw. 23 24 25 & 26.

North Between Sw. 23 & 24 S. 14. S. R. 671.
1768 To a Beck. 20 in dia: in the line.
35.00 To a Beck 5 links wide, lower S. W.
4000 Set a 1/2 sap post from which,
Beck 12 in dia: trees. S 76 W. 14 links each; & a,
Beck. 18 " " " N 12 E. 19 " "
From this corner. N 80 E. 75 links each; there is the cap
pearance of a considerable Coal Bank
5850 To a Beck. 18 in dia: in the line
8000 Set a post for the corner of sw. 13. 14. 23 & 24 from which,
Beck 9 in dia: trees. S 28 E. 17 links each; & a
Beck. 15 " " " S 43 W. 30 " "
Lands hilly, Timber Beck, W Oak, Sugar &.
Undergrowth. Dogwood. &.

East On a Range in line between Sw. 13 & 24 S. 14. S. R. 671
40.00 Set a temporary 1/2 sap post
8040 Set out the East (Boundary) 22 links North of the post on
of sw. 13 & 24.
Land here can do good for farming Timber Beck,
Poplar &. W. 1/2th Spruce.

West On the line between Sw. 13 & 24. S. 14. S. R. 671
40.20 Set the temporary 1/2 sap post at the cor. each, within one mile from
which Beck. 4 in dia: trees. N 31 W. 19 links each; &
in Do. 9 " " " S 16 E. 26 " "
8040 To the post on of sw. 13. 14. 23 & 24.

North Between Sw. 13 & 14 S. 14. S. R. 671
15.15 To a Red Oak 24 in dia: in the line.
40.00 Set a 1/2 sap post from which,
Beck. 12 in dia: trees. S 26 E. 23 links each; & a,
Do. 5 " " " N 31 W. 24 " "

T. N. 14. N. R. N. 6 W. Quad. Min. Ind.

42.34 To spring 2 miles wide, leaves S.W.
 55.63 To a W Oak. 12 in diam in the line.
 80.00 Set apart for the cor of Sec. 11. 12. 13 & 14 from which,
 Sugar. 5 in diam. bears S 37 W. 10 miles north; Va,
 Dogwood 4, " " N 44 E. 30 " "
 Lands 12 1/2 miles long and good for farming; 2nd 3/4
 hilly land; Timber Oak, Poplar, Hickory, &c.
 manyth. Spruce &c. Oct. 4. 1819.

East On a Random line between Sec. 12 & 13. T. 14. N. R. 6 W.
 40.00 Set a trap 7/8 in depth.
 80.40 Set a trap the East Corner of 12 miles South of the post cor.
 of Sec. 12 & 13.
 Land good and good for farming Timber Oak, Ash,
 Hickory, W Oak, Poplar, &c. 118 Spruce &c.

West On the line between Sec. 12 & 13. T. 14. N. R. 6 W.
 40.20 Set the trap 7/8 in depth at the ar ditch in the line.
 from which, W Oak. 20 in diam. bears S 68 E. 27 the ditch.
 and a Beech 15 " " " West 39 " "
 80.40 To the post cor of Sec. 11. 12. 13 & 14.

North Between Sec. 11. & 12. T. 14. N. R. 6 W.
 14.50 To a Brook branch of Raccoon Creek 30 the mid. Co. S. W.
 23.50 To a Sugar. 18 in diam in the line.
 40.00 Set a 7/8 in depth from which,
 Hickory 6 in diam. bears N 85 W. 11 miles north; Va,
 Sugar. 3, " " S 55 E. 18 " "
 71.57 To a Poplar. 36 in diam in the line.
 80.00 Set apart for the cor of Sec. 1. 2. 11. & 12 from which,
 Hickory 4 in diam. bears S 77 W. 34 miles north; Va,
 Do. 9 " " S 88 E. 24 " "
 Lands hilly Timber W Oak, Hickory, Sugar, Poplar, &c.
 and 1/2 Dogwood. &c.

East On a Random line between Sec. 1 & 12. T. 14. N. R. 6 W.

T. N^o 14. N. R. N^o 67 2nd Mer. Ind^o.

40.00	Set a trap 1/2 in aspect
80.50	Enter cut the East Branch at 10 miles South of the post on of Sep 1770. Land here and good for farming; Timber Buck, Poplar, 17 Oak; 18 Spruce &c.
West	Cut the line here between Sec 1 & 2 T. 14 N. R. 67.
40.25	Set the trap 1/2 in aspect at the mouth in the two miles from whence, 17 Oak. 24 in air here. 37 N. 7 miles with and a Buck. 4. " " 60 E. 15. " "
80.50	Enter post on of Sec. 1, 2, 11, 1770.
North	Return Sec. 1 & 2 T. 14 N. R. 67
23.00	To a Poplar. 30 in air in the line.
40.00	Set a 1/2 in aspect from whence Oak. 36 in air here. 20 N. 13 miles with; &c. 17 Oak. 20. " " 33 N. 23. " "
46.71	To a Brook. 20 miles with, leaves N.
68.66	To a Buck. 15 in air in the line.
81.66	Enter cut the N. Branch at 34 miles West of the post on of Sec 35 T. 15 N. R. 67 and set apart for the cut of " 1 & 2 from whence Sugar. 10 in air here. 55 E. 11 miles with; &c. Logwood 4. " " 68 N. 10. " " Sugar 12 1/2 mile land and good for farming; 2 nd 3/4 with; Timber Buck, Poplar, 17 Oak, 18 Logwood &c.
North	Return Sec. 34 & 35. T. 14 N. R. 67
27.77	To a 17 Oak. 45 in air in the line.
40.00	Set a 1/2 in aspect from whence Poplar. 30 in air here. 17 E. 12 miles with; &c. Buck. 18. " " 38 N. 12. " "
53.82	To a Poplar. 24 in air in the line.
80.00	Set a post for the cut of Sec. 26, 27, 34 & 35 from whence Buck. 4 in air here. 62 E. 3 miles with; &c. 17 Oak 18. " " 65 N. 29. " "

J. N. 14 N. 14 N. 67 2nd Mn. Ind.

23, 24, 25, & 26.

Land very broken with Cliffs Timber Sugar, Poplar, Hickory $\frac{1}{2}$ Alder Spruce $\frac{1}{2}$.

West Out the line between Secs 23 & 26. T. 14. N. 14. 67.

40.20 Set the trap for the report at the ar. arch on the line from which Sugar. 9 in diam. trees. 144 N 31 links with under Buck 3 " " " N 23 E 7 " "

80.40 To the post on of Secs 22, 23, 26 & 27.

North Return Secs 22 & 23. T. 14. N. 14. 67.

11.30 To a sym. 18 in diam. in the line.

16.80 To a Buck 30 links in diam. lower T. 14.

40.00 Set a trap for the report from which Sugar. 4 in diam. trees. N 14 E. 21 links with; 80, 100 3 " " " S 13 N 7 " "

49.20 To a Poplar, 40 in diam. in the line.

80.00 Set a post for the on of Secs 14, 15, 22 & 23 from which Buck. 4 in diam. trees. N 22 W. 4 links with; 80, 100 3 " " " S 15 W. 8 " "

Land hilly; Timber Beech, Poplar, Walnut & Hickory Undergrowth Dogwood, etc.

East Again Run across line between Secs 14 & 23. T. 14. N. 14. 67.

40.00 Set a trap for the report.

80.00 Set a post at the N 13 line at the post on of Secs 13, 14, 23 & 24. Land level and good for farming; Timber Buck Poplar, Sugar & Alder Spruce.

West Out the line between Secs 14 & 23. T. 14. N. 14. 67.

40.00 Set the trap for the report at the ar. arch on the line from which Buck. 12 in diam. trees. S 15 W 7 links with; under 100 3 " " " N 33 E 5 " "

80.00 To the post on of Secs 14, 15, 22 & 23.

North Return Secs 14 & 15. T. 14. N. 14. 67.

T. N. 14. N. R. N. 6 W. 2nd (Mn. Ind.)

- 24.00 To Sugar. 15 in dist in the line.
 37.50 To a Brook. 15 units mds, corner N. W.
 40.00 Set a 7/8 sa post. from which,
 Buck. 20 in dist. bears. N 10 W. 10 units each: 20,
 Ironwood 3: " " 22 E. 9 " "
 68.81 To a Spring 5 units mds, corner N. W.
 80.00 Set a post for the cor of sec. 10. 11. 14 & 15 from which,
 Buck. 9 in dist. bears. N 89 E. 9 units each: 4
 Maple. — " " N 86 W. 15 " "
 Land broken with high cliffs Timber Buck, Sugar, &c.
 on all the Spruce &c.

- East On a Random line between Sec. 11 & 14 T. 14. N. R. 6 W.
 40.00 Set a temp. 7/8 sa post.
 80.40 Set the last the N. W. line 10 units South of the post on of sec.
 11. 12. 13 & 14.
 Land is hilly with cliffs each bottom Timber Buck,
 Maple & Hickory. No dog woods.

- West On the true line between Sec. 11 & 14 T. 14. N. R. 6 W.
 40.20 Set the temp. 7/8 sa post. at the corner on the true line from
 which, Buck. 12 in dist. bears. S 50 W. 15 units each;
 on a Sugar. 4 " " " N 29 E. 5 " "
 80.40 To the post on of sec. 10. 11. 14 & 15.

- North Between Sec. 10 & 11 T. 14. N. R. 6 W.
 8.44 To a Brook. 40 units mds, corner N. W.
 40.00 Set a 7/8 sa post from which,
 Buck. 10 in dist. bears. S 32 E. 11 units each: 20,
 Do. 8 " " " S 68 W. 16 " "
 60.56 To a Poplar. 20 in dist. in the line.
 80.00 Set a post for the cor of sec. 2, 3, 10 & 11. from which,
 Gum 15 in dist. bears. S 15 E. 18 units each: 20,
 Maple 9 " " " N 10 E. 12 " "
 Land 10 1/2 mile hilly; 2 1/2 mile level and good for
 farming Timber Buck, Poplar & Maple, & Hickory

J. No 14. N. R. No 672nd Mer. Ind.

Under the Specie.

East	Qua Ranam line between Dec 2 & 11. J. 14. N. R. 672
31.75	To a Buck. 40 in dia. in the river.
40.00	Set a trap for the deer.
80.00	Set a trap for the N. B. line at the post on of Dec. 1. 21. 1872 Land had been good for farming; Timber Oak Hickory Poplar & White Oak, &c. Under the Specie.
West	Qua line between Dec 2 & 11. J. 14. N. R. 672.
40.00	Set the trap for the deer at the ar. arch on the river line from whicha Buck 18 in dia. has. J. 672. 18 lbs. each; Va. " 4 " " " " J. 27 & 13 " "
80.00	To the post on of Dec. 2. 3. 10. 11.
North	Return Dec 2 & 3. J. 14. N. R. 672
21.75	To a Sugar. 12 in dia. in the river.
40.00	Set a trap for the deer from whicha " Oak. 18 in dia. has. J. 55 N. 5 lbs. each; Va. " Buck. 6 " " " " J. 56 & 5 " "
60.46	To a Buck. 9 in dia. in the river.
81.50	Set a trap for the N. B. line at 60 miles West of the post on. of Dec. 34 & 35. J. 15 N. R. 672 and set a post for the ar. " " 2 & 3. from whicha " Buck. 20 in dia. has. J. 78 & 16 lbs. each; Va. " Sugar. 4 " " " " J. 87 N. 9 " "
	Land had been good for farming. Timber Oak, Pop- lar & White Oak, Under the Specie 1/2, Oct. 6. 1879.
North	Return Dec 33 & 34. J. 14. N. R. 672.
77.94	To a Poplar 3 in dia. in the river.
40.00	Set a trap for the deer from whicha " Poplar. 36 in dia. has. J. 47 & 24 lbs. each; Va. " Sugar. 18 " " " " J. 63 N. 10 " "
56.27	To a White Oak. 48 in dia. in the river.
80.00	Set a post for the river on of Dec. 27, 28, 33 & 34 from whicha

J. N. H. N. N. 671 2nd Mo. Ind.

Sugar. 10 in diam. trees. 57 N. 4 links north, Pa.
 Dogwood 4 " " 46 E. 16 " "
 Good land and good for farming. Timber Poplar, W Oak
 Buck Wheat. W. Spr.

East Oak Run line between Sec. 27. 834 J. H. N. 671.
 40.00 Set a temp. 7 1/4 east.
 79.60 Into cut the N. 8 line 20 links north of the post on of sec.
 26. 27. 34 835.
 Good land and good for farming. Timber Buck, Oak, Hick
 Poplar &c. W. Spr.

West Oak Run line between Sec. 27. 834 J. H. N. 671.
 38.80 Set the temp. 7 1/4 east at the arched on the line
 from which W Oak 15 in diam. trees. N 45 E. 7 the creek;
 and a Hick 4 " " " 10 E 16 " "
 79.60 To the post on of sec. 27. 28 33 836

North Return Sec. 27. 828 J. H. N. 671.
 16.62 To a W Oak. 40 in diam. in the river.
 40.00 Set a 7 1/4 east from which
 Buck 12 in diam. trees. 68 N 10 links north, Pa.
 W Oak. 18 " " " 53 E. 29 " "
 60.90 To a Buck. 9 in diam. in the river.
 80.00 Set a post for the corner of sec. 21. 22, 27. 828. from which
 Buck. 5 in diam. trees N 69 E 18 links north, Pa.
 Do. 4 " " " 45 N 18 " "
 Good land and good for farming. Timber Buck,
 W Oak. & Poplar. W. Spr. &c.

East Oak Run line between Sec. 22 & 27 J. H. N. 671.
 40.00 Set a temp. 7 1/4 east
 79.55 Into cut the N. 8 line. 16 links north of the post on of
 Sec. 22. 23. 26 727
 Good land and good for farming. Timber Buck
 Sugar. & Poplar Hick &c. W. Spr.

T. N. 14. N. R. No 6 N 2nd Mm. Ind.

West On the true line between Sec 22 & 27, T. 14. N. R. 6 N.
 39.77¹/₂ Set the trap 1¹/₂ in sap at the arch on the true line from
 which Sugar. 8 in deer hairs. N 48 E. 16 lbs each, &
 Elk. 6 " " " 19 & 9 " "
 79.55 To the foot of lat 21, 22, 27 & 28.

North Between Sec 21 & 22 T. 14 N. R. 6 N.
 15.57 To an Arch. 20 in deer hairs on the true.
 40.00 Set a 1¹/₂ in sap at from which
 Buck. 24 in deer hairs. N 25 E. 6 lbs each, &
 Sugar. 3 " " " 64 N 9 " "
 80.00 Set apart for the end of lat. 15, 16, 21 & 22 from which
 Elk. 9 in deer hairs. N 48 E. 21 lbs each, &
 Hockberry 9 " " " 61 N 9 " "
 Lumber limb Lumber Buck. Sugar. Poplar, &
 Monarch Pine &c.

East On a Random line between Sec 15 & 22 T. 14 N. R. 6 N.
 25.0 To Brook 30 links view, corner N.
 40.00 Set a trap 1¹/₂ in sap
 80.00 Set out the N & S line 72 links North of the foot of
 Sec 14, 15, 22 & 23.
 Grade hilly with high cliffs Lumber Buck. Poplar,
 Sugar, N Oak. N. Log wood

West On the true line between Sec 15 & 22 T. 14 N. R. 6 N.
 40.00 Set the trap 1¹/₂ in sap at the arch on the true line
 from which Poplar. 12 in deer hairs. N 64 N. — lbs each
 make a Buck. 4 " " " 48 N. 14 " "
 80.00 To the foot of lat 15, 16, 21 & 22
 Thursday evening Oct 7th 1819.

North Between Sec 15 & 16 T. 14. N. R. 6 N.
 14.40 To a Brook 30 links view, corner N. N.
 40.00 Set a 1¹/₂ in sap at from which
 Buck. 5 in deer hairs. S 8 N 10 lbs each, &

I. N^o 14 N. R. N^o 6 N. 2nd. Mm. Sud.

48.50 Newk 4 in air: buns. N 44 N 21 links each;
To a Brook 40 links mid, comes S. W.
59.64 " " Brook 20 in air: in the mid.
80.00 Set a post for the car of road 9. 10. 15 N. 16. from which,
Sugar. 4 in air: buns. S 80 E. 14 links each; & a,
Lo. 5 " " " N 53 N. 16 " "
Land chiefly with some small rich bottom with crabs.
Timber Oak, Poplar, N. Walnut, & M. Spruce.

East On a Road line between Sec. 10 & 15. I. 14 N. R. 6 N.
35.60 To a Brook 10 links mid, comes S. W.
40.00 Set a trap 7 in support
72.50 To a Brook 50 links mid, comes S.
80.00 Intercut the N 13 line 36 links North of the post in of road
N 13 14 & 15.
Land chiefly with clifts of Rocks. Timber Sugar. N. Oak
Poplar, W. Young Sugar, &c.

West On the line between Sec. 10 & 15. I. 15 N. R. 6 N.
40.00 At the trap 7 in support at the car with in the line
from which N. Walnut 5 in air: buns. S 45 N. 31 links each,
and a Brook. 24 " " " N 14 N. 23 " "
80.00 To the post in of road 9. 10. 15 & 16.
Friday Evening Oct. 9. 1819.

North Return Sec. 9 & 10. I. 14 N. R. 6 N.
25.00 To a Brook 10 links mid, comes S. W.
40.00 Set a 7 in support from which,
Sugar. 5 in air: buns. N 15 E. 14 links each; & a,
Brook. 30 " " " S 44 N. 9 " "
54.50 To small Oak 18 in air: in the line.
80.00 Set a post for the car of road 3. 4. 9 & 10 from which,
Newk 10 in air: buns N 53 E. 15 links each; & a,
Ely - " " " S 56 N. 14 " "
Land chiefly Timber Poplar, Oak, Walnut, Newk &c.
Under the Spruce.

T. N. 14. N. R. N. 67 2nd Mrs. Ind.

East
40.00 On a Kaum line between Sec. 3 & 4. T. 14. N. R. 67.
Set a trap 1/2 mi. up road.
47.90 To a Brook 10 links away, lower T.
79.60 Enter at the N. R. line at the post on of sec. 2, 3. 1000
Land here and good for farming; Timber Sugar, Poplar
and Birch, (M. Spruce).

West
39.80 On the same line between Sec. 3 & 4. T. 14. N. R. 67.
Set the trap 1/2 mi. up road at the ar. with on the same line
from which, Sugar. 15 in air. trees. N. 7 W. 11 the north,
and a Birch. 10 " " " N 78 E 20 "
79.60 To the post on of sec. 3. 4. 9710.

North
12.15 Between Sec. 3 & 4. T. 14. N. R. 67.
40.00 To a Poplar. 48 in air. in the line.
Set a 1/2 mi. up road from which a
Birch. 15 in air. trees South 17 the north, and
Juniper. — " " " N 67 W. 7 " "
69.53 To a Spruce. 20 in air. in the line.
83.00 Enter at the N. R. line at 77 links West of the post on
of sec. 33 & 34. T. 15 N. R. 67 and set a post for the on
" " 3 & 4 from which a
Oak. 6 in air. trees S 22 W. 9 links north, Pa,
N. Oak. 4 " " S 53 E. 9 " "
Land broken; Timber Birch, N. Oak, Hickory, &c.

North
18.45 Between Sec. 33 & 34. T. 14. N. R. 67.
40.00 To a Birch 20 in air. in the line.
Set a 1/2 mi. up road from which,
Hickory 15 in air. trees. N 82 E. 39 links north; Pa,
Sugar. + " " " N 67 W. 33 " "
56.31 To a Sugar. 15 in air. in the line.
80.00 Set a post for the on of sec. 28 & 29. 33 & 34 from which,
Sugar. 12 in air. trees East 15 links north Pa,
Birch. 5 " " " S 23 E. 7 " "
Land good for farming Timber Sugar, Poplar &c.

T. N. 14. N. R. No 6 W. 2nd Mer. Sur.

W. Oak. mangroves Spec. &c.

East On a Run am line between Sec. 28 & 33 T. 14. N. R. 6 W
 40.00 Set a trap 7 ft in depth.
 56.44 To a Brook 10 links in, lower E.
 80.00 Intercept the N & S line at the post on of Sec. 27, 28, 33 & 34
 Land good for farming Timber Oak, Poplar, Sugar,
 W Oak &c. M. Spec. &c.

West On the line between Sec. 28 & 33 T. 14. N. R. 6 W
 40.00 Set the trap 7 ft in depth at the end of the line
 from which Sugar, 12 in diam. trees N. 46 E. 9 ft in diam
 under Buck. 4 " " " 81577.8 " "
 80.00 To the post on of Sec. 28, 29, 32 & 33.

South Return Sec. 28 & 29 T. 14. N. R. 6 W
 14.38 To a Red Oak 20 in diam. in the line.
 40.00 Set a trap 7 ft in depth from which
 Buck. 5 in diam. trees 81877.7 links in; &c.
 Do. 4 " " " 81577.10 " "
 55.78 To a Poplar. 38 in diam. in the line
 80.00 Set a post for the corner of Sec. 20, 21, 28 & 29 from which
 Buck. 8 in diam. trees. N 12 E. 17 links in; &c.
 Do. 7 " " " 81577.19 " "
 Land level and good for farming Timber Oak,
 Poplar & W Oak M. Spec. Saturday Oct. 9. 1819

East On a Run am line between Sec. 21 & 28 T. 14. N. R. 6 W
 40.00 Set a trap 7 ft in depth.
 79.70 Intercept the Range or N & S line 80 links North of the
 post corner of Sec. 21, 22, 27 & 28.
 Land inclined to mt; Timber Oak, Hickory Oak,
 W. mangroves Oak &c.

West On the line between Sec. 21 & 28 T. 14. N. R. 6 W
 39.85 Set the trap 7 ft in depth at the end of the line

T. N. 14. S. R. N. 671 2nd, Mer. Ind.

from which, Beech. 12 in diam. trees. 175 E. 20 the north
made a No. 12, " " N. 88 W. 28, "
49.70 To the first cor of sec. 20, 21, 28 & 29.

North Return Sec. 20 & 21. T. 14. N. R. 671
16.67 To a Sycamore 36 in diam. in the line.
40.00 Set a 1/4 section from which
Maple. 20 in diam. trees. 129 E. 12 limbs with 1/2
ash. 4, " " N. 75 W. 26, "
59.50 To an Elm. 20 in diam. in the line.
80.00 Set a post for the cor of sec. 16, 17, 20 & 21 from which
Poplar. 42 in diam. trees. N. 63 E. 33. limbs with 1/2
Sugar. 8 " " " N. 33 W. 14, "
Good wood made good for farming; Timber Beech,
Oak & Sugar, 118 Spruce.

East Cap. Man. am line between Sec. 16 & 21. T. 14. N. R. 671
40.00 Set a temporary 1/4 section
80.00 Enter at the N. 13 line at the post cor of sec. 15, 16, 21 & 22
Good wood for farming; with some small portions
Timber Beech, Sugar, & Poplar, 118 Spruce.

West On the same line between Sec. 16 & 21. T. 14. N. R. 671
40.00 Set the temporary 1/4 section at the arched on the same line from
which, Beech. 9 in diam. trees. 115 W. 10 limbs with 1/2
No. 20, " " " N. 10 W. 34, "
80.00 To the post cor of sec. 16, 17, 20 & 21

North Return Sec. 16 & 17. T. 14. N. R. 671
21.00 To a Poplar. 24 in diam. trees in the line.
40.00 Set a 1/4 section from which
Hick. 30 in diam. trees. N. 23 W. 22 limbs with 1/2
Beech. 15, " " " 123 E. 19, "
59.44 To a Hick. 18 in diam. in the line.
80.00 Set a post for the cor of sec. 8, 9, 16 & 17 from which
Log woods 16 in diam. trees. 169 E. 20 limbs with 1/2

301

T. N. 14. S. R. N. 6 W. D. M. M. S. S. S.

Log road 4 mi. dist. from. N 27 W. 6 mi. dist.
Small land and good for farming. Timber Beech, Hickory
Poplar, Sugar, &c. W. S. Log road.

East On a R. M. line between Sec 9 & 16. T. 14. N. R. 6 W.
25.50 To a Branch of Raccoon which Mr. Harris mistook for
the creek 40 miles in, comes N. W.
68.07 To a Branch 10 miles in, comes S.
79.25 Into cut the N 13 mi 12.0 miles North of the post of
Sec 9. 10. 15 & 16.
Timber Sugar, Poplar, W. Oak, &c. W. S. Log road.

West On the line between Sec 9. 16. T. 14. N. R. 6 W.
39.62 Set the trap 7 1/2, east at the end of the line
from which Sugar, 12 in dist. from. S 85 E. 20 mi. dist.
made a Lynx. 18 " " " N 86 W. 12 " "
79.25 To the post on Sec 8. 9. 16 & 17.

North Between Sec 8 & 9 T. 14. N. R. 6 W.
12.80 To a Poplar, 36 in dist. from the line.
40.00 Set a 7 1/2 east from which
Beech 15 in dist. from. N 15 E. 6 mi. dist. & a
Sugar 12 " " " West 7 " "
61.00 To a Creek 50 miles in, comes N. W.
80.00 Set a post for the cut of Sec 4. 5. 8 & 9 from which
Cherry 10 in dist. from. S 82 W. 28 mi. dist. & a
Hickory 8 " " " East 8 " "
Say as per 1/2 mile survey: 2nd 1/2 mile N. W. rate land,
Timber Sugar, Walnut, Poplar, &c. W. S. Spruce.

East On a R. M. line between Sec 4 & 9 T. 14. N. R. 6 W.
40.00 Set a trap 7 1/2 east
78.40 Into cut the N 13 mi 50 miles North of the post on.
Sec 3. 4. 9 & 10.
Small land and N. W. rate Raccoon bottoms;
Timber Walnut, Hickory, Hickory Sugar &c.

I. N.º 14. N.º 677 2nd (M. Ind.)

West
39.20 Oyster line between Sur 449 I. 14. N.º 677.
Set the trap 7th report at the ar ditch on the line from
whiche W. Horn 5 in dist. from. N. 47 E. 14 links dist.
under Wild cherry 3, " " S. 21 N. 8 " " "
78.40 Set the post cor of sur. 4.5.8 & 9.
Monday evening Oct. 11. 1819.

North
78.10 Return Sur 445 I. 14. N.º 677.
31.50 To a New 20 in dist. stands on the line
37.00 To Raccoon Creek.
40.00 Came out of trap same side
40.00 Set 9th report from whiche,
Lycamore 6 in dist. from. N. 20 E. 8 links dist; on
Loc. 24, " " N. 73 N. 12 " "
82.50 Enter at the N. Boundary 56 links West of the post.
cor of sur. 32 & 33. I. 15. N.º 677 and set a post for the
" " " 445 from whiche,
Buckeye 9 in dist. from. N. 50 N. 19 links dist; on
Loc. 6 " " " N. 88 E. 21 " "
Land here on the N. side; Timber Hackberry Buck
Buckeye Sugar, Walnut, &c. W. Spine &c.

North
18.74 Return Sur 31832 I. 14. N.º 677 by J. M.º Donald
Enter at the Indian Boundary and set a post for the
cor of sur. 31832 from whiche,
W. Oak 24 in dist. from. N. 63 E. 5 links dist; on
Buck 14, " " S. 69 E. 23, " "
Land here and soil good Timber Buck, Oak &c.
Under 9th Spine Maple.

April 22nd 1814.

North
Return Sur 31832 Continued by Peter
from the old Boundary and set a post for the cor of
Sur. 31832 from whiche,
Buck 18 in dist. from. N. 33 N. 24 links dist; on
Loc. 4, " " " S. 72 E. 18 " "
8.75 links N. 53 N. of corner.

T. N. 14. St. R. No 6 W. 2nd Mer. Ind.

8.30 To a Branch of Otter Creek 10 miles mid, Course W.
 17.00 Got a 1/4 section from which,
 Buck. 18 in diam. trees. N 13 W. 17 miles mid; Va,
 Ho. 20 " " " 940 E. 38 " "
 27.00 To Rock Creek. trees. West.
 57.00 Got a spot for the cor of sec 29, 30, 31 & 32 from which,
 Buck. 18 in diam. trees. N 10 E. 3 miles mid; Va,
 Ho. 6 " " " 970 W. 33, "
 Land is good for farming. Timber Buck, Sugar & Walnut
 Under the Spruce. &c..

East Quakam line between Sec 29 & 32 T. 14. N. 6 W.
 39.60 To a Brook. 12 miles mid, Course S. W.
 40.00 Got a trap. 1/4 section
 70.00 To a Brook. Course S.
 80.00 Then cut the NW line at the first cor of sec. 28, 29, 32 & 33.
 Land is good for farming; Timber Buck, Sugar, Poplar,
 &c. W. Spruce &c.

West Along the true line between Sec 29 & 32 T. 14. N. 6 W.
 40.00 Set the trap. 1/4 section at the cor such on the true line.
 from which, Buck. 10 in diam. trees. S 71 E. 24 miles mid,
 " " " " " " 977 W. 29, "
 80.00 To the first cor of sec 29, 30, 31 & 32

West Between Sec 30 & 31 T. 14. N. 6 W.
 26.65 To Otter Creek. 30 miles mid, Course NW.
 40.00 Got a 1/4 section from which,
 Buck. 18 in diam. trees. South 10 miles mid; Va,
 Poplar. 5 " " " " 111 W. 9 " "
 73.00 Then cut the West Boundary 28 miles South of the first
 cor of sec. 25 & 36. T. 14. N. 7 W. and a 1/4 section for the
 " " " 30 & 31 from which,
 Sugar. 10 in diam. trees. S 89 E. 5 miles mid; Va,
 Buck. 9 " " " " 126 W. 27, "
 Land is hilly. Timber Buck, Sugar, White. Spruce &c.

T. N. 14. N. R. No 6 W 2nd Mer. Ind.

North
 24.22 Return Sec. 29. 1830 T. 14. N. R. 6 W.
 40.00 To a Necker 24 mi. dir. in the line.
 Set a ~~marked~~ post from which
 Back. 9 mi dir. from. S 21 E 17 links north; 74
 Do. 8 " " " N 54 W. 26 " "
 55.69 To a W Oak. 24 mi dir. in the line.
 80.00 Set a post for the cor of sec. 19 20. 29 30 from which
 Back. 12 mi dir. from. N 47 E. 21 links north; 74
 Do 12 " " " S 60 W. 16 " "
 Land here made good for farming; rather inclined
 to be mt. Timber Back, W Oak, Necker, & W Spruce

East
 40.00 On a line from between Sec. 20 & 29. T. 14. N. R. 6 W.
 79.36 Set a ~~temp~~ 74 ^{19 links} ~~post~~ at the post cor of sec. 20. 21. 28
 & 29. Land here made inclined to be mt; Timber
 Back W Oak, Necker, & W Spruce.

West
 39.68 On the line between Sec. 20 & 29. T. 14. N. R. 6 W.
 Set the temp. 74 ^{19 links} ~~post~~ at the cor dir. in the line
 from which Back 9 mi dir. from. S 85 W. 11 links
 and a Do 5 " " " N 8 E. 9 " "
 79.36 To the post cor of sec. 19. 20. 29 & 30
 Tuesday Oct. 12. 1819.

West
 40.00 Return Sec. 19 & 30 T. 14. N. R. 6 W.
 Set a 74 ~~post~~ ^{19 links} ~~post~~ from which
 Red Oak 20 mi dir. from. South 7 links north; 74
 Back 9 " " " N 37 E. 6 " "
 73.23 Set out the West Corner of Township 55th.
 South of the post cor of sec. 24 & 25. T. 14. N. R. 7 W.
 and set a post for the cor of sec. 19 & 30 from which
 Sagar. 12 mi dir. from N 19 E. 42 links north; 74
 Do. 5 " " " S 33 W. 16 " "
 Land here made good for farming Timber Back,
 Sagar, Poplar. W Spruce.

J. N. 14. N. R. N. 677 2nd. Mr. L. S. 1.

North Return Sec. 19 & 20 J. 14. N. R. 677.
 16.55 To a Brook. 18 in diam. in the river.
 40.00 Set a 7/8 capst from which
 Poplar. 9 in diam. trees. S47 E 21 limbs north; & a,
 7 Beak. 6 " " " N 80 W 27 " "
 52.42 To a Sugar. 20 in diam. in the river.
 64.12 " " Brook. 10 ft. 1/2 m. in, leaves N. W.
 80.00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which
 Poplar. 10 in diam. trees. S40 W. 5 limbs north; & a,
 10. 5 " " " N 32 E. 6 " "
 Land good for farming. Timber. Oak, Sugar, Poplar,
 White Birch, Spruce. &c.

East On a Runway line between Sec. 17 & 20 J. 14. N. R. 677.
 40.00 Set a trap 7/8 capst (from which)
 80.10 Enter at the N & S line at the cor. of sec. 16, 17, 20 & 21.
 Land hilly; Timber. W. Oak, Poplar, Sugar, Beak &
 White Birch, Spruce.

West On the same line between Sec. 17 & 20 J. 14. N. R. 677.
 40.05 Set the trap 7/8 capst. at the ar. ditch on the same line
 from which, Walnut. 8 in diam. trees. South 11 limbs north
 under an Elm. 4 " " " S 82 E. 30 " "
 80.10 To the post cor. of sec. 17, 18, 19 & 20.

West Return Sec. 18 & 19 J. 14. N. R. 677.
 21.50 To a Brook. 10 limbs mid., leaves S. W.
 40.00 Set a trap 7/8 capst from which
 Sugar. 12 in diam. trees. S 85 W. 14 limbs north; & a,
 7 Beak 6 " " " N 37 W 18 " "
 72.00 Enter at the West Run at 38 limbs north of the post
 cor. of sec. 13 & 24 J. 14. N. R. 777 and set a post for
 " " " 18 & 19 from which
 Poplar. 24 in diam. trees. South 10 limbs north; & a,
 7 Beak 6 " " " N 6 W 24 " "
 Land 1/4 1/2 mile hilly; 2nd 1/2 level and good for

T. N^o 14. N. R. N^o 6 W 2nd Mer. Ind.
 farming Timber Creek, Sugar, Poplar, & N^o 8 Spruce

North	Between Sec 17 & 18 T. 14. N. R. 6 W.
1834	To a Poplar 48 in diam stands in the line
23.87	To a Poplar 15 in diam side corner W
40.00	Set a 7 th sap post from which Sassafras 6 in diam. bears N 77 W. 14 links north; Pa. Spruce 12 th " " N 45 E. 27 th "
80.00	Set a post for the cor of Sec 7. 8. 17. & 18 from which Elm 20 in diam. bears N 16 W. 15 links north; Pa. Spruce 6 th " " S 28 E. 16 th " Land 1st 1/2 very hilly; 2 nd 1/2 small hills; & 2 nd rate land; 118 Dog wood; Timber Creek, Poplar & Sugar
East	On a Random line between Sec 8 & 17 T. 14. N. R. 6 W
40.00	Set a temporary 7 th Sap post
80.31	Intersect the NTS line 10 links South of the post cor of Sec. 8 & 16, & 17. Land hilly and 2 nd rate; Timber Creek, Poplar, Sugar, &c. N ^o 8. Spruce.
West	On the true line between Sec 8 & 17 T. 14. N. R. 6 W.
40.15.	Set the temporary 7 th sap post at the ar arish on the true line from which North 9 in diam. bears S 61 W. 12 links north; and a " " " " N 76 E. 18 " "
80.30	To the post cor of Sec 7. 8. 17. & 18.
West	Between Sec 7 & 18. T. 14. N. R. N ^o 6 W
3.21	To Maccom Creek. 26 links side corner E. W.
38.50	" " " " 200 " " " N. W.
40.00	Set a 7 th sap post from which Buckeye 9 in diam. bears N 87 W. 13 links north; Pa. No. Co " " N 79 E. 14 th "
75.30	To a Racoon Creek corner S.
71.50	Intersect the West Boundary 40 links South of the post cor. of Sec. 12 & 13. T. 14. N. R. 7 W and set a post for the cor of

327

T. N. 14 S. R. N. 6 W. Q. M. S. L. S.

	<p>Sec. 7 & 8 from which</p> <p>Buckeye 15 in diam. here. S 30 E. 8 mts. out; 7a,</p> <p>Ho. 12 " " " N 50 W. 22 " "</p> <p>Land here under 1st rate; Timber Walnut, Buckeye. &c.</p>																																														
North	Between Sec. 7 & 8. T. 14 S. R. 6 W.																																														
18.40	To an Elm 24 in diam. in the line.																																														
38.50	To Raccoon Creek 200 mts. wide, corner S. W.																																														
40.00	Set a 7 th support from which																																														
	Sugar 30 in diam. here. N 37 E. 28 mts. out; 7a, <tr> <td></td><td>Ho. 24 " " " N 77 W. 12 " "</td></tr> <tr> <td>80.00</td><td>Set a post for the cor. of Sec. 5, 6, 7, & 8 from which, <tr> <td></td><td>Sugar 20 in diam. here. S 8 W. 17 mts. out; 7a, <tr> <td></td><td>Sugar 4 " " " N 20 W. 14 " "</td></tr> <tr> <td></td><td>Land here under 1st rate; Timber Sugar, Hackberry &</td></tr> <tr> <td></td><td>Buckeye, Walnut, &c. (Mg. Pawpaw &c.) Oct. 13. 1819</td></tr> <tr> <td>East</td><td>On a line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>2.30</td><td>To a Birch 12 mts. wide, corner S.</td></tr> <tr> <td>28.85</td><td>To Raccoon Creek 150 mts. wide, corner S. W.</td></tr> <tr> <td></td><td>Western Bank solid rock some distance above & below</td></tr> <tr> <td></td><td>and below with solid rock in bottom of creek.</td></tr> <tr> <td></td><td>Eastern Bank high Rock bottom.</td></tr> <tr> <td>40.00</td><td>Set a support 7th support.</td></tr> <tr> <td>44.00</td><td>Clift in Raccoon 40 ft. high</td></tr> <tr> <td>54.50</td><td>To Raccoon Creek 200 mts. wide, N. W.</td></tr> <tr> <td>81.00</td><td>Enter east the N 38 line at the first cor. of Sec. 4, 5, 8 & 9</td></tr> <tr> <td>West</td><td>On the true line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.50</td><td>Set the support 7th support at the arched in the true line</td></tr> <tr> <td></td><td>from whichage Elmwood 4 in diam. here. S 88 E. 18 mts. out;</td></tr> <tr> <td></td><td>make a Cherry 4 " " " N 82 W. 15 " "</td></tr> <tr> <td></td><td>Land hilly Timber Oak, N. Oak Sugar, &c. N. Y. Spruce.</td></tr> <tr> <td>West</td><td>Between Sec. 6 & 7. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.00</td><td>Set a 7th support from which</td></tr> </td></tr></td></tr>		Ho. 24 " " " N 77 W. 12 " "	80.00	Set a post for the cor. of Sec. 5, 6, 7, & 8 from which, <tr> <td></td><td>Sugar 20 in diam. here. S 8 W. 17 mts. out; 7a, <tr> <td></td><td>Sugar 4 " " " N 20 W. 14 " "</td></tr> <tr> <td></td><td>Land here under 1st rate; Timber Sugar, Hackberry &</td></tr> <tr> <td></td><td>Buckeye, Walnut, &c. (Mg. Pawpaw &c.) Oct. 13. 1819</td></tr> <tr> <td>East</td><td>On a line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>2.30</td><td>To a Birch 12 mts. wide, corner S.</td></tr> <tr> <td>28.85</td><td>To Raccoon Creek 150 mts. wide, corner S. W.</td></tr> <tr> <td></td><td>Western Bank solid rock some distance above & below</td></tr> <tr> <td></td><td>and below with solid rock in bottom of creek.</td></tr> <tr> <td></td><td>Eastern Bank high Rock bottom.</td></tr> <tr> <td>40.00</td><td>Set a support 7th support.</td></tr> <tr> <td>44.00</td><td>Clift in Raccoon 40 ft. high</td></tr> <tr> <td>54.50</td><td>To Raccoon Creek 200 mts. wide, N. W.</td></tr> <tr> <td>81.00</td><td>Enter east the N 38 line at the first cor. of Sec. 4, 5, 8 & 9</td></tr> <tr> <td>West</td><td>On the true line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.50</td><td>Set the support 7th support at the arched in the true line</td></tr> <tr> <td></td><td>from whichage Elmwood 4 in diam. here. S 88 E. 18 mts. out;</td></tr> <tr> <td></td><td>make a Cherry 4 " " " N 82 W. 15 " "</td></tr> <tr> <td></td><td>Land hilly Timber Oak, N. Oak Sugar, &c. N. Y. Spruce.</td></tr> <tr> <td>West</td><td>Between Sec. 6 & 7. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.00</td><td>Set a 7th support from which</td></tr> </td></tr>		Sugar 20 in diam. here. S 8 W. 17 mts. out; 7a, <tr> <td></td><td>Sugar 4 " " " N 20 W. 14 " "</td></tr> <tr> <td></td><td>Land here under 1st rate; Timber Sugar, Hackberry &</td></tr> <tr> <td></td><td>Buckeye, Walnut, &c. (Mg. Pawpaw &c.) Oct. 13. 1819</td></tr> <tr> <td>East</td><td>On a line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>2.30</td><td>To a Birch 12 mts. wide, corner S.</td></tr> <tr> <td>28.85</td><td>To Raccoon Creek 150 mts. wide, corner S. W.</td></tr> <tr> <td></td><td>Western Bank solid rock some distance above & below</td></tr> <tr> <td></td><td>and below with solid rock in bottom of creek.</td></tr> <tr> <td></td><td>Eastern Bank high Rock bottom.</td></tr> <tr> <td>40.00</td><td>Set a support 7th support.</td></tr> <tr> <td>44.00</td><td>Clift in Raccoon 40 ft. high</td></tr> <tr> <td>54.50</td><td>To Raccoon Creek 200 mts. wide, N. W.</td></tr> <tr> <td>81.00</td><td>Enter east the N 38 line at the first cor. of Sec. 4, 5, 8 & 9</td></tr> <tr> <td>West</td><td>On the true line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.50</td><td>Set the support 7th support at the arched in the true line</td></tr> <tr> <td></td><td>from whichage Elmwood 4 in diam. here. S 88 E. 18 mts. out;</td></tr> <tr> <td></td><td>make a Cherry 4 " " " N 82 W. 15 " "</td></tr> <tr> <td></td><td>Land hilly Timber Oak, N. Oak Sugar, &c. N. Y. Spruce.</td></tr> <tr> <td>West</td><td>Between Sec. 6 & 7. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.00</td><td>Set a 7th support from which</td></tr>		Sugar 4 " " " N 20 W. 14 " "		Land here under 1st rate; Timber Sugar, Hackberry &		Buckeye, Walnut, &c. (Mg. Pawpaw &c.) Oct. 13. 1819	East	On a line between Sec. 5 & 8. T. 14 S. R. 6 W.	2.30	To a Birch 12 mts. wide, corner S.	28.85	To Raccoon Creek 150 mts. wide, corner S. W.		Western Bank solid rock some distance above & below		and below with solid rock in bottom of creek.		Eastern Bank high Rock bottom.	40.00	Set a support 7 th support.	44.00	Clift in Raccoon 40 ft. high	54.50	To Raccoon Creek 200 mts. wide, N. W.	81.00	Enter east the N 38 line at the first cor. of Sec. 4, 5, 8 & 9	West	On the true line between Sec. 5 & 8. T. 14 S. R. 6 W.	40.50	Set the support 7 th support at the arched in the true line		from whichage Elmwood 4 in diam. here. S 88 E. 18 mts. out;		make a Cherry 4 " " " N 82 W. 15 " "		Land hilly Timber Oak, N. Oak Sugar, &c. N. Y. Spruce.	West	Between Sec. 6 & 7. T. 14 S. R. 6 W.	40.00	Set a 7 th support from which
	Ho. 24 " " " N 77 W. 12 " "																																														
80.00	Set a post for the cor. of Sec. 5, 6, 7, & 8 from which, <tr> <td></td><td>Sugar 20 in diam. here. S 8 W. 17 mts. out; 7a, <tr> <td></td><td>Sugar 4 " " " N 20 W. 14 " "</td></tr> <tr> <td></td><td>Land here under 1st rate; Timber Sugar, Hackberry &</td></tr> <tr> <td></td><td>Buckeye, Walnut, &c. (Mg. Pawpaw &c.) Oct. 13. 1819</td></tr> <tr> <td>East</td><td>On a line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>2.30</td><td>To a Birch 12 mts. wide, corner S.</td></tr> <tr> <td>28.85</td><td>To Raccoon Creek 150 mts. wide, corner S. W.</td></tr> <tr> <td></td><td>Western Bank solid rock some distance above & below</td></tr> <tr> <td></td><td>and below with solid rock in bottom of creek.</td></tr> <tr> <td></td><td>Eastern Bank high Rock bottom.</td></tr> <tr> <td>40.00</td><td>Set a support 7th support.</td></tr> <tr> <td>44.00</td><td>Clift in Raccoon 40 ft. high</td></tr> <tr> <td>54.50</td><td>To Raccoon Creek 200 mts. wide, N. W.</td></tr> <tr> <td>81.00</td><td>Enter east the N 38 line at the first cor. of Sec. 4, 5, 8 & 9</td></tr> <tr> <td>West</td><td>On the true line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.50</td><td>Set the support 7th support at the arched in the true line</td></tr> <tr> <td></td><td>from whichage Elmwood 4 in diam. here. S 88 E. 18 mts. out;</td></tr> <tr> <td></td><td>make a Cherry 4 " " " N 82 W. 15 " "</td></tr> <tr> <td></td><td>Land hilly Timber Oak, N. Oak Sugar, &c. N. Y. Spruce.</td></tr> <tr> <td>West</td><td>Between Sec. 6 & 7. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.00</td><td>Set a 7th support from which</td></tr> </td></tr>		Sugar 20 in diam. here. S 8 W. 17 mts. out; 7a, <tr> <td></td><td>Sugar 4 " " " N 20 W. 14 " "</td></tr> <tr> <td></td><td>Land here under 1st rate; Timber Sugar, Hackberry &</td></tr> <tr> <td></td><td>Buckeye, Walnut, &c. (Mg. Pawpaw &c.) Oct. 13. 1819</td></tr> <tr> <td>East</td><td>On a line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>2.30</td><td>To a Birch 12 mts. wide, corner S.</td></tr> <tr> <td>28.85</td><td>To Raccoon Creek 150 mts. wide, corner S. W.</td></tr> <tr> <td></td><td>Western Bank solid rock some distance above & below</td></tr> <tr> <td></td><td>and below with solid rock in bottom of creek.</td></tr> <tr> <td></td><td>Eastern Bank high Rock bottom.</td></tr> <tr> <td>40.00</td><td>Set a support 7th support.</td></tr> <tr> <td>44.00</td><td>Clift in Raccoon 40 ft. high</td></tr> <tr> <td>54.50</td><td>To Raccoon Creek 200 mts. wide, N. W.</td></tr> <tr> <td>81.00</td><td>Enter east the N 38 line at the first cor. of Sec. 4, 5, 8 & 9</td></tr> <tr> <td>West</td><td>On the true line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.50</td><td>Set the support 7th support at the arched in the true line</td></tr> <tr> <td></td><td>from whichage Elmwood 4 in diam. here. S 88 E. 18 mts. out;</td></tr> <tr> <td></td><td>make a Cherry 4 " " " N 82 W. 15 " "</td></tr> <tr> <td></td><td>Land hilly Timber Oak, N. Oak Sugar, &c. N. Y. Spruce.</td></tr> <tr> <td>West</td><td>Between Sec. 6 & 7. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.00</td><td>Set a 7th support from which</td></tr>		Sugar 4 " " " N 20 W. 14 " "		Land here under 1st rate; Timber Sugar, Hackberry &		Buckeye, Walnut, &c. (Mg. Pawpaw &c.) Oct. 13. 1819	East	On a line between Sec. 5 & 8. T. 14 S. R. 6 W.	2.30	To a Birch 12 mts. wide, corner S.	28.85	To Raccoon Creek 150 mts. wide, corner S. W.		Western Bank solid rock some distance above & below		and below with solid rock in bottom of creek.		Eastern Bank high Rock bottom.	40.00	Set a support 7 th support.	44.00	Clift in Raccoon 40 ft. high	54.50	To Raccoon Creek 200 mts. wide, N. W.	81.00	Enter east the N 38 line at the first cor. of Sec. 4, 5, 8 & 9	West	On the true line between Sec. 5 & 8. T. 14 S. R. 6 W.	40.50	Set the support 7 th support at the arched in the true line		from whichage Elmwood 4 in diam. here. S 88 E. 18 mts. out;		make a Cherry 4 " " " N 82 W. 15 " "		Land hilly Timber Oak, N. Oak Sugar, &c. N. Y. Spruce.	West	Between Sec. 6 & 7. T. 14 S. R. 6 W.	40.00	Set a 7 th support from which				
	Sugar 20 in diam. here. S 8 W. 17 mts. out; 7a, <tr> <td></td><td>Sugar 4 " " " N 20 W. 14 " "</td></tr> <tr> <td></td><td>Land here under 1st rate; Timber Sugar, Hackberry &</td></tr> <tr> <td></td><td>Buckeye, Walnut, &c. (Mg. Pawpaw &c.) Oct. 13. 1819</td></tr> <tr> <td>East</td><td>On a line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>2.30</td><td>To a Birch 12 mts. wide, corner S.</td></tr> <tr> <td>28.85</td><td>To Raccoon Creek 150 mts. wide, corner S. W.</td></tr> <tr> <td></td><td>Western Bank solid rock some distance above & below</td></tr> <tr> <td></td><td>and below with solid rock in bottom of creek.</td></tr> <tr> <td></td><td>Eastern Bank high Rock bottom.</td></tr> <tr> <td>40.00</td><td>Set a support 7th support.</td></tr> <tr> <td>44.00</td><td>Clift in Raccoon 40 ft. high</td></tr> <tr> <td>54.50</td><td>To Raccoon Creek 200 mts. wide, N. W.</td></tr> <tr> <td>81.00</td><td>Enter east the N 38 line at the first cor. of Sec. 4, 5, 8 & 9</td></tr> <tr> <td>West</td><td>On the true line between Sec. 5 & 8. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.50</td><td>Set the support 7th support at the arched in the true line</td></tr> <tr> <td></td><td>from whichage Elmwood 4 in diam. here. S 88 E. 18 mts. out;</td></tr> <tr> <td></td><td>make a Cherry 4 " " " N 82 W. 15 " "</td></tr> <tr> <td></td><td>Land hilly Timber Oak, N. Oak Sugar, &c. N. Y. Spruce.</td></tr> <tr> <td>West</td><td>Between Sec. 6 & 7. T. 14 S. R. 6 W.</td></tr> <tr> <td>40.00</td><td>Set a 7th support from which</td></tr>		Sugar 4 " " " N 20 W. 14 " "		Land here under 1st rate; Timber Sugar, Hackberry &		Buckeye, Walnut, &c. (Mg. Pawpaw &c.) Oct. 13. 1819	East	On a line between Sec. 5 & 8. T. 14 S. R. 6 W.	2.30	To a Birch 12 mts. wide, corner S.	28.85	To Raccoon Creek 150 mts. wide, corner S. W.		Western Bank solid rock some distance above & below		and below with solid rock in bottom of creek.		Eastern Bank high Rock bottom.	40.00	Set a support 7 th support.	44.00	Clift in Raccoon 40 ft. high	54.50	To Raccoon Creek 200 mts. wide, N. W.	81.00	Enter east the N 38 line at the first cor. of Sec. 4, 5, 8 & 9	West	On the true line between Sec. 5 & 8. T. 14 S. R. 6 W.	40.50	Set the support 7 th support at the arched in the true line		from whichage Elmwood 4 in diam. here. S 88 E. 18 mts. out;		make a Cherry 4 " " " N 82 W. 15 " "		Land hilly Timber Oak, N. Oak Sugar, &c. N. Y. Spruce.	West	Between Sec. 6 & 7. T. 14 S. R. 6 W.	40.00	Set a 7 th support from which						
	Sugar 4 " " " N 20 W. 14 " "																																														
	Land here under 1st rate; Timber Sugar, Hackberry &																																														
	Buckeye, Walnut, &c. (Mg. Pawpaw &c.) Oct. 13. 1819																																														
East	On a line between Sec. 5 & 8. T. 14 S. R. 6 W.																																														
2.30	To a Birch 12 mts. wide, corner S.																																														
28.85	To Raccoon Creek 150 mts. wide, corner S. W.																																														
	Western Bank solid rock some distance above & below																																														
	and below with solid rock in bottom of creek.																																														
	Eastern Bank high Rock bottom.																																														
40.00	Set a support 7 th support.																																														
44.00	Clift in Raccoon 40 ft. high																																														
54.50	To Raccoon Creek 200 mts. wide, N. W.																																														
81.00	Enter east the N 38 line at the first cor. of Sec. 4, 5, 8 & 9																																														
West	On the true line between Sec. 5 & 8. T. 14 S. R. 6 W.																																														
40.50	Set the support 7 th support at the arched in the true line																																														
	from whichage Elmwood 4 in diam. here. S 88 E. 18 mts. out;																																														
	make a Cherry 4 " " " N 82 W. 15 " "																																														
	Land hilly Timber Oak, N. Oak Sugar, &c. N. Y. Spruce.																																														
West	Between Sec. 6 & 7. T. 14 S. R. 6 W.																																														
40.00	Set a 7 th support from which																																														

T. N^o 14. N.R. N^o 6 W. 2nd Mer. Sec^o.

Beck. 15 in air: beam. N 43 E 38 " "
 72.00 Intersect the West Boundary 43 miles North of the post on
 of sec. 1. & 2 T. 14 N.R. 6 W made set apart for the cor of
 " " 6 & 7 from which
 Maple. 5 in air: beam. N 40 E 18 miles each; Pa
 Beck. 6 " " " S 4 E 10 " "
 Lande hilly and 3rd rate Timber Oak, Beech,
 Poplar, & All. Wood.

North Between Sec 5 & 6. T. 14. N.R. 6 W
 Afternoon after crossing some creek 10 miles
 33.00 crossed some stream last time at the fork to largest
 Branch coming from the N.E.
 40.00 Set a 1st suspect from which
 Beck. 18 in air: beam. N 66 E 4 miles each; Pa
 64.95 To a Poplar. in the line.
 83.00 Intersect the N Boundary 243 miles West of the post on of sec
 31. 32 & 15 N.R. 6 W made set apart for the cor of sec.
 5 & 6. from which
 Sugar. 9 in air: beam. S 34 W 10 miles each; Pa
 Beck. 9 " " " N 38 E 27 " "
 Lande 1st 1/2 mile level 2nd rate. and good for farming
 Timber Beck. Oak Sugar, All. Spruce, &c.
 Oct. 19 1819 finished surveying T. 14 N.R. 6 W at 10 o'
 clock in the Morning: Surveyed by Wm Polko.

I certify that the foregoing Transcript of the field notes
 of John Polk, N^o 14 North of Range N^o 6 West 2nd Mer.
 Louisiana, has been compared with the Original notes in the
 Office and found to be correct.

Surveyor General's Office
 Cincinnati, July 28, 1844

Q. D. Kaine
 Sur. General